

Work Order ID 65746

Tuesday, January 25, 2011 10:21:57 AM



Page 1

Item ID: D206-558-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Dual Cargo Mirror Assembly

Start Date: 1/24/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 1/31/2011 Req'd Qty: 2.00

Customer:

Reference:

Approvals:

Process Plan:

RR

Date: 11-01-25 Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

IIN D206-558

Rev C

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile and create labels per PPP D206-558-043 / DSI 9436
CHG009

8/16/13

HJ for BG 11-01-31

110

0.00



Small Fab

Small Fab

Memo

0.00

Small Fab

1- assemble as per dwg D206-558

SB 11/01/27 (2)

120

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

SB 11/01/28

(2)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65746

Tuesday, January 25, 2011 10:21:57 AM



Page 2

Item ID: D206-558-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Dual Cargo Mirror Assembly

Start Date: 1/24/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 1/31/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Pick Kit

0.00



Packaging

Memo

0.00

Packaging

1/31/31 2

140

QC4- 100% Inspect kits for completeness

0.00



QC

Memo

0.00

Quality Control

8 sub 131

42

150

Packaging

0.00



Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D206-558-043 /DSI 9436
Location: 5
PPP Rev: 1

11/1 SP 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65746

Tuesday, January 25, 2011 10:21:57 AM



Page 3

Item ID: D206-558-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Dual Cargo Mirror Assembly

Start Date: 1/24/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 1/31/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/02/02 J

PS 11-02-1
(2)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, January 25, 2011 10:22:04 AM

Page 1

Work Order ID: 65746

Parent Item: D206-558-043

Parent Item Name: Dual Cargo Mirror Assembly

Start Date: 1/24/2011

Required Date: 1/31/2011

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP G02.09.19 Re-format; Incorporated D2066 KJ
 IPP Rev:H 08-05-14 now @ chg006/ add D3778-1 per ECN1171 DD verified:
 IPP Rev:I 08-08-19 now @ chg 007 DD verified by:ec IPP Rev:J
 10.10.27 fixe route seq DD verf:EC IPP REV:K 11.01.19
 AS PER CHG009 DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3778-1 Bracket		Manufactured	No			140	Each	13.0000	1	2			
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST227				13					
				56316				13					
D2066 Arm		Manufactured	No			110	Each	6.0000	1	2			
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST228				6					
				52577				6					
D2011-101 6" Mirror		Manufactured	No			110	Each	33.0000	2	4			
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST227				1					
				61742				1					
				ST257				32					
				64036				32					

W 11/01/27

56316

ES 11/01/27

2

ES 11/01/27

4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, January 25, 2011 10:22:05 AM

Page 2

Work Order ID: 65746

Parent Item: D206-558-043

Parent Item Name: Dual Cargo Mirror Assembly

Start Date: 1/24/2011

Required Date: 1/31/2011

Start Qty: 2.00

Required Qty: 2.00

D2071

Manufactured No

130 Each

20.0000



Cable Assembly



12

[Signature]

Location

Loc Qty

Loc Code

ST222

20

64744

20

Manufactured No

130 Each

27.0000

D2067



Connector



12

[Signature]

Location

Loc Qty

Loc Code

ST006

27

65500

27

Manufactured No

130 Each

24.0000

D2053



Mounting Bracket



12

[Signature]

Location

Loc Qty

Loc Code

ST005

24

58395

24

Purchased No


130 Each

973.0000

AN3-4A



Bolt



48

[Signature] 1/24/31 (2)

Location

Loc Qty

Loc Code

ST350

973

104214

12

104291

300

104322

161

104374

200

104625

300

104322

Tuesday, January 25, 2011 10:22:05 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, January 25, 2011 10:22:05 AM

Work Order ID: 65746

Parent Item: D206-558-043

Parent Item Name: Dual Cargo Mirror Assembly

Start Date: 1/24/2011

Required Date: 1/31/2011

Start Qty: 2.00

Required Qty: 2.00

AN526-1032R9 Purchased

No

130

Each

94.0000

4 8



Screw

Location

Loc Qty

Loc Code

ST328

94

113928

1

115422

93

AN960JD10L NAS1149D0332J Purchased

No

130

Each

0.0000

6



Washer

MS21042L3 Purchased

No

130

Each

3,067.000

1



Nut

Location

Loc Qty

Loc Code

ST300

3067

114784

9

115835

558

116391

900

116540

800

116549

800

MS21919-DG5 Purchased

No

130

Each

52.0000

2



Clamp

Location

Loc Qty

Loc Code

ST306

52

114988

8

115698

44

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, January 25, 2011 10:22:05 AM

Page 4

Work Order ID: 65746

Parent Item: D206-558-043

Parent Item Name: Dual Cargo Mirror Assembly

Start Date: 1/24/2011

Required Date: 1/31/2011

Start Qty: 2.00

Required Qty: 2.00

MS35489-9

Purchased

No

130

Each

79.0000



Grommet



1 1/2

1/31/31 (2)

Location

Loc Qty

Loc Code

ST296

79

107376

8

109371

71

109371

Tuesday, January 25, 2011 10:22:06 AM

Shop Packet Print

Page 4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

1.0 INTRODUCTION

The cargo mirror is available as either a single (D206-558-041) or a dual (D206-558-043) and allows the pilot to view the hook/load for safe hookup and release. The dual mirror kit is used primarily for pilot training. Using the control cable inside the cabin, the cargo mirror can be easily adjusted or stowed for cruise flight.




Figure 1: D206-558-041/-043 Cargo Mirror Installations (Shown in Deployed Position)

2.0 GENERAL NOTES

COMPATIBILITY

Compatibility of this installation with the aircraft is the **responsibility of the installer**. Ensure that this installation does not conflict with a previous modification.

CONTINUING AIRWORTHINESS

This installation should be maintained in accordance with the Instructions for Continued Airworthiness ICA-D206-558.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

3.0 CARGO MIRROR INSTALLATION

Install the Cargo Mirror as follows:

1. Install D206-558-041/-043 cargo mirror assembly using AN3-4A bolts and AN960JD10L washers. Pickup existing anchor nuts in 4 places.
2. Install D2067 connector onto D2056 bellcrank assembly to locate hole for MS35489-9 grommet. With the mirror in the deployed position, mark and drill $\varnothing 0.125"$ (3.2mm) hole in landing light window panel where the grommet should be located. Open pilot hole to $\varnothing 0.563"$ (14.3mm). Install grommet.
3. Install D2053 bracket using AN526-1032R9 screws. Pickup on existing anchor nuts.
4. Position D2071 cable as shown. Install MS21919DG5 clamps using AN526-1032R9 screws where required. Pickup existing rivnuts or anchor nuts if available.
5. Install D2071 control cable using D2067 connector. Connector should rotate freely in bellcrank when MS21042-3 nut is torqued and cable clamped



**Figure 2: – View A: Looking Aft.
(D206-558-043 Mirror Shown)**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

*NOTE: Date & initial all entries




Figure 3: - View C: Looking Down on Mirror Installation
(D206-558-041 Mirror Shown)




Figure 4: - Detail D: Looking from Side on Mirror Installation
(D206-558-041/-043 Mirror Shown)




Figure 5: - Details B and E on Mirror Installation
(D206-558-041/-043 Mirror Shown)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

*NOTE: Date & initial all entries

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D206-558 REV. 0

REF: CANADIAN STC SH92-17
REF: FAA STC SH1031NE

W/O 65746

IT HAS COME TO DART'S ATTENTION THAT A LONGER CABLE IS REQUIRED WHEN INSTALLING THE DART D206-558-041/-043 SINGLE/DUAL CARGO MIRROR ASSEMBLY ON A BHT 407 AIRCRAFT. THIS IS DUE TO THE MIRROR INSTALLATION BEING MOVED FORWARD TO PICK UP ON EXISTING SET OF SCREW HOLES ON THE BELLY OF THE AIRCRAFT AS SHOWN IN FIGURE 3 OF INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER.

IT IS ACCEPTABLE TO REPLACE THE D2071 CABLE ASSEMBLY WITH D2071-3 CABLE ASSEMBLY. FURTHERMORE, IT MAY BE NECESSARY TO REPLACE THE MS35489-9 GROMMET WITH MS35489-67 GROMMET TO ACCOMMODATE A POSSIBLE VARIANCE IN MATERIAL THICKNESS ON A BHT 407 AIRCRAFT AS OPPOSED TO A BHT 206 AIRCRAFT.

CUSTOMERS INSTALLING EXISTING D206-558-041/-043 KIT ON A BHT 407 AIRCRAFT MUST PROCURE THE FOLLOWING KIT FROM DART:

DSI 9436-011 PARTS LIST:

Qty -011	Part Number	Description
X	DSI 9436-011	CABLE CHANGE KIT
1	D2071-3	CABLE ASSEMBLY (REPLACES D2071)
1	MS35489-67	GROMMET (REPLACES MS35489-9)

INSTALL THE D2071-3 CABLE ASSEMBLY AND MS35489-67 GROMMET PER INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER AND MAINTAIN PER ICA-D206-558 REV. 0.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *[Signature]*
D. SHEPHERD (DE # 02)
DATE: 08.12.04
CERT. NO.: SH92-17
ISSUE NO.: 7

A	NEW ISSUE	MB	08.12.04
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	DSI 9436	SHEET 1 OF 2
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	CABLE CHANGE	NTS
DATE	08.12.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

FROM THIS POINT FORWARD, CUSTOMERS SHOULD ORDER D407-558-045/-047 IN LIEU OF D206-558-041/-043 WHEN PROCURING SINGLE/DUAL MIRRORS FOR BHT 407 MODELS. AMEND SECTIONS 4.0 AND 5.0 OF INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER AND 25.3 AND 25.4 OF ICA-D206-558 REV. 0 AS FOLLOWS:

4.0 WEIGHT AND BALANCE (D206-558 REV. C OR EARLIER)

25.3 WEIGHT AND BALANCE (ICA-D206-558 REV. 0)

W1065744

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D206-558-041	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 206A/B/L/L1/L3/L4	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D206-558-043	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 206A/B/L/L1/L3/L4	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg
D407-558-045	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 407	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D407-558-047	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 407	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg

5.0 PARTS LIST (D206-558 REV. C OR EARLIER)

25.4 PARTS LIST (ICA-D206-558 REV. 0)

Qty -041	Qty -043	Qty -045	Qty -047	Part Number	Description
X				D206-558-041	SINGLE CARGO MIRROR ASSEMBLY
	X			D206-558-043	DUAL CARGO MIRROR ASSEMBLY
		X		D407-558-045	SINGLE CARGO MIRROR ASSEMBLY
			X	D407-558-047	DUAL CARGO MIRROR ASSEMBLY
1	2	1	2	D2011-101	MIRROR ASSEMBLY
2	2	2	2	D2052	BRACKET
1	1	1	1	D2053	BRACKET
2	2	2	2	D2054	BUSHING
1	1	1	1	D2055	CLAMP
1	1	1	1	D2056	BELL CRANK ASSEMBLY
1		1		D2057	PLUG
1		1		D2065	ARM
	1		1	D2066	ARM
1	1	1	1	D2067	CONNECTOR
1	1			D2071	CABLE ASSEMBLY
		1	1	D2071-3	CABLE ASSEMBLY
1	2	1	2	D3014-1	* LOCKNUT
1	1	1	1	D3778-1	BRACKET
4	4	4	4	AN3-4A	BOLT
4	4	4	4	AN526-1032R9	SCREW
1	2	1	2	AN960JD416L	* WASHER
4	4	4	4	AN960JD10	WASHER
6	6	6	6	AN960JD10L	WASHER
3	3	3	3	MS21042-3	NUT (or MS21042L3)
2	2	2	2	MS21919DG5	CLAMP
2	2	2	2	MS27039-1-18	SCREW
1	1			MS35489-9	GROMMET
		1	1	MS35489-67	GROMMET





* INCLUDED AS PART OF D2011-101 MIRROR ASSEMBLY

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHARD (DE # 02)

DATE: 08.12.04
CERT. NO.: SH92-17
ISSUE NO.: 7

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9436	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		CABLE CHANGE	NTS
DATE	08.12.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

FROM THIS POINT FORWARD, CUSTOMERS SHOULD ORDER D407-558-045/-047 IN LIEU OF D206-558-041/-043 WHEN PROCURING SINGLE/DUAL MIRRORS FOR BHT 407 MODELS. AMEND SECTIONS 4.0 AND 5.0 OF INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER AND 25.3 AND 25.4 OF ICA-D206-558 REV. 0 AS FOLLOWS:

REFERENCE

4.0 WEIGHT AND BALANCE (D206-558 REV. C OR EARLIER)

25.3 WEIGHT AND BALANCE (ICA-D206-558 REV. 0)

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D206-558-041	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 206A/B/L/L1/L3/L4	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D206-558-043	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 206A/B/L/L1/L3/L4	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg
D407-558-045	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 407	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D407-558-047	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 407	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg

5.0 PARTS LIST (D206-558 REV. C OR EARLIER)

25.4 PARTS LIST (ICA-D206-558 REV. 0)

Qty -041	Qty -043	Qty -045	Qty -047	Part Number	Description
X				D206-558-041	SINGLE CARGO MIRROR ASSEMBLY
	X			D206-558-043	DUAL CARGO MIRROR ASSEMBLY
		X		D407-558-045	SINGLE CARGO MIRROR ASSEMBLY
			X	D407-558-047	DUAL CARGO MIRROR ASSEMBLY
1	1	1	2	D2011-101	MIRROR ASSEMBLY
2	2	2	2	D2052	BRACKET
1	1	1	1	D2053	BRACKET
2	2	2	2	D2054	BUSHING
1	1	1	1	D2055	CLAMP
1	1	1	1	D2056	BELLCRANK ASSEMBLY
1	1	1		D2057	PLUG
1	1	1		D2065	ARM
			1	D2066	ARM
1	1	1	1	D2067	CONNECTOR
1	1			D2071	CABLE ASSEMBLY
		1	1	D2071-3	CABLE ASSEMBLY
1	2	1	2	D3014-1	* LOCKNUT
1	1	1	1	D3778-1	BRACKET
4	4	4	4	AN3-4A	BOLT
4	4	4	4	AN526-1032R9	SCREW
1	1	1	2	AN960JD416L	* WASHER
4	4	4	4	AN960JD10	WASHER
6	6	6	6	AN960JD10L	WASHER
3	3	3	3	MS21042-3	NUT (or MS21042L3), 1
2	2	2	2	MS21919DG5	CLAMP
2	2	2	2	MS27039-1-18	SCREW
1	1			MS35489-9	GROMMET
		1	1	MS35489-67	GROMMET





* INCLUDED AS PART OF D2011-101 MIRROR ASSEMBLY

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 08.12.04
CERT. NO.: SH92-17
ISSUE NO.: 7

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9436	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		CABLE CHANGE	NTS
DATE	08.12.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


REFERENCE ONLY

Figure 25.2 – View A: Looking Aft.
(D206-558-043 Mirror Shown)




Figure 25.3 – View C: Looking Down on Mirror Installation
(D206-558-041 Mirror Shown)

• COPYRIGHT © 2001 BY DART AEROSPACE LTD. •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

25-00-00